88886: UNDER DEPOSIT Caterpillar TH414 GC Telehander

Direct Sales

Engine:	Cat TCD 3.6lt L4 Turbo Diesel
Body Type:	4x4 Telehandler
Tyre Size:	15.5/80-24
Date In Service:	2015
Hours From:	659
Condition From:	Excellent

UNDER DEPOSIT2015 Caterpillar TH414 GC 4x4 Telehander, in excellent condition, from a UK National company.

It features:

2015 Caterpillar TH414GC 3.6 ton telehandler, fitted Cat TCD3.6 L4 100 hp turbo diesel engine

3 forward + 3 reverse transmission,

13.7 m 3 stage hydraulic boom,

front hydraulic stabilisers legs,

anti-sway control,

piped for auxiliary hydraulics,

selectable 2/4 wheel and crab steer,

OMD system check SLI,

Full ROPs cab, CE marked,

Direct national company, one owner, very clean + genuine condition,

Engine:

Engine Model Cat TCD 3.6 L4

Gross Power 74.4 kW

The C Series Telehandlers have a new engine to meet EU Stage IIIB (U.S. EPA Tier 4 Interim) emission standards

Weights:

Operating Weight 10,095.0 kg

Operating
Specifications:

Rated Load Capacity   3600 kg

Maximum Lift Height:

Stabilizers Up   13.85m

Stabilizers Down   13.85m

Maximum Forward Reach   8.68m

Top Travel Speed   24.6
km/h

Load at Maximum Height

Stabilizers Up   1500 kg

Stabilizers Down   3000 kg

Load at Maximum Reach

Stabilizers Up   100 kg

Stabilizers Down   900 kg

Outside Turning Radius Over Tires   3860 mm

Service Refill
Capacities:

Fuel Tank   150 L

Hydraulic Tank   102 L

Brakes:

Service Brakes   Servo assisted front and rear axle brakes

Parking Brakes   Mechanical on front axle

Hydraulic System:

Maximum System Pressure   270 bar

Maximum Pump Flow   100 L/min

Pump Type   Gear pump

Auxiliary Hydraulic Supply   95 L/min

Transmission Speeds:

Forward

1   4.7 km/h

2   10 km/h

3   24.6 km/h

Reverse

1   4.7 km/h

2   10 km/h

3   24.6 km/h

Boom Performance:

Boom Up 15.3 seconds

Boom Down 10.8 seconds

Tele In 14.84 seconds

Tele Out 11.2 seconds C

rowd Forward (dump) 2.63 seconds

Crowd Backward 2.27 seconds

Combined Up and Out 27 seconds

Down and In 19.5 seconds

Drawbar Pull 74.5 kW 85 kN

Bucket Breakout Force to ISO 8313 70 kN

Boom Breakout Force 70 kN

Sound Operator Sound 80 dB(A)

Exterior Sound (74.5 kW Engine) 106 dB(A)

Dimensions:

Length: 6.433m
(without tines)

Width:

2.44m

Height:

2.677m

Unladen weight:
10.1ton

This unit is registered on a UK V5 and is sold without
LOLER certificate.

Viewing is highly recommended prior to purchase and to arrange
an appointment to view please contact our Sales Team on 01476 861361.

Our Ref: W6522